

#13 Type: ER TF: TF2 Clause: 0 Page: 0 Line: 0 Commenter: Marek Hajduczenia / Charter

Comment Status: Resolved Response Status: Accept Commenter Satisfaction: Satisfied Category: -

Page numbering needs to be fixed - page in PDF does not match page numberign displayed

Per comment

-

#10 Type: E TF: TF2 Clause: 3.5 Page: 18 Line: 20 Commenter: Marek Hajduczenia / Charter

Comment Status: Resolved Response Status: Accept Commenter Satisfaction: None Category: -

Text in yellow will need to be replaced with specific PICS example, once PICS are available.

Add editorial comment in front of the text marked in yellow to read as follows: "Editorial Note (to be removed prior to publication): The following text in yellow needs to be replaced with a valid example of PICS, once PICS become available."

-

#1 Type: TR TF: TF2 Clause: 4.1 Page: 21 Line: 8 Commenter: Pradeep Kondamuri / Ciena

Comment Status: Resolved Response Status: Accept Commenter Satisfaction: Satisfied Category: -

the UMT client is also optional, isn't it?

"Both UMT client and UMT sublayer are optional...."

-

#2 Type: ER TF: TF2 Clause: 4.1 Page: 21 Line: 20 Commenter: Pradeep Kondamuri / Ciena

Comment Status: Resolved Response Status: Accept Commenter Satisfaction: Satisfied Category: UTPDU

typo

change UTPDUs to UMTPDUs

-

#11 Type: E TF: TF2 Clause: 4.1 Page: 21 Line: 20 Commenter: Marek Hajduczenia / Charter

Comment Status: Resolved Response Status: Accept Commenter Satisfaction: None Category: UTPDU

UTPDU should be UMTPDU

Change globally

See also comment #2

#3 Type: TR TF: TF2 Clause: 5.1 Page: 24 Line: 13 Commenter: Pradeep Kondamuri / Ciena

Comment Status: Resolved Response Status: Accept Commenter Satisfaction: Satisfied Category: -

A note about source device should be added, similar to the one added for destination device in line 11

On line 15 add, "Note that the source device may not be UMT aware and the UMT tunnel may be originated after the frame leaves that device."

-

#12 Type: TR TF: TF2 Clause: 5.2 Page: 25 Line: 7 Commenter: Marek Hajduczenia / Charter

Comment Status: Resolved Response Status: Accept Commenter Satisfaction: Satisfied Category: 0x07

Incorrect range "0x05 to 0xFD"

Change to "0x07 to 0xFD" to match the value in previous row

See also comment #4

#4 Type: ER TF: TF2 Clause: 5.2 Page: 25 Line: 7 Commenter: Pradeep Kondamuri / Ciena

Comment Status: Resolved Response Status: Accept Commenter Satisfaction: Satisfied Category: 0x07

typo in the Value column of penultimate row of the table

change "0x05 to 0xFD" to "0x07 to 0xFD"

-

#14 Type: TR TF: TF2 Clause: 5.3 Page: 29 Line: 9 Commenter: Marek Hajduczenia / Charter

Comment Status: Resolved Response Status: Reject Commenter Satisfaction: Satisfied Category: -

I do seem to recall material on VLAN tagged UMTPDUs haveinb been presented by Glen before. Is there any chance we can roll it into the next version of the dratf as a strawman proposal and see whether it generates any positive feedback?

Per comment

No specific changes to the draft at this time. Glen took an action item to propose specific material for next cycle.

#5 Type: T TF: TF2 Clause: 5.3 Page: 29 Line: 11 Commenter: Pradeep Kondamuri / Ciena

Comment Status: Resolved Response Status: Reject Commenter Satisfaction: None Category: -

I think VLAN tags should be allowed, particularly useful in VLAN-based forwarding of UMTPDUs over multiple UMT-unaware Ethernet hops

-

No proposed change to the draft. See comment #14.

#6 Type: T TF: TF2 Clause: 5.3 Page: 29 Line: 12 Commenter: Pradeep Kondamuri / Ciena

Comment Status: Resolved Response Status: Reject Commenter Satisfaction: None Category: -

Going by 802.1Q frame format, the VLAN tag goes before the UMT Ethertype

-

No proposed change to the draft. See comment #14.

#15 Type: TR TF: TF2 Clause: 6.2.1.2 Page: 34 Line: 19 Commenter: Marek Hajduczenia / Charter
Comment Status: Resolved Response Status: AIP Commenter Satisfaction: Satisfied Category: -

Content missing
Use tf2_d0_4_hajduczenia_1.docx
Use tf2_d0_4_hajduczenia_1a.docx

#16 Type: TR TF: TF2 Clause: 6.2.1.3 Page: 35 Line: 2 Commenter: Marek Hajduczenia / Charter
Comment Status: Resolved Response Status: Reject Commenter Satisfaction: Satisfied Category: -

Content missing
It is not clear to me how to rebuild the original L3 frame from UMTPDU - the original frame would include DA/SA information, which is not propagated correctly across the UMTPDU - the default gateway may live beyond the ingress point for UMPTDU, and its MAC address is lost traversing the UMT link. Changes to L3 type UMTPDU will be likely needed to address this problem as well.
No changes to the draft for now.

#7 Type: ER TF: TF2 Clause: 6.2.2 Page: 35 Line: 4 Commenter: Pradeep Kondamuri / Ciena
Comment Status: Resolved Response Status: AIP Commenter Satisfaction: Satisfied Category: -

The description of ingress tunnel entrance rules is incorrect; the current description is just a copy/paste of ingress tunnel exit rules in 6.2.1
-
Delete incorrect text in 6.2.2 and insert editorial note with Glen's name to provide the text for the next draft.

#8 Type: T TF: TF2 Clause: 7.1 Page: 39 Line: 1 Commenter: Pradeep Kondamuri / Ciena
Comment Status: Resolved Response Status: AIP Commenter Satisfaction: None Category: -

Does the message sequence number imply any kind of message reassembly? Perhaps an example can help.
-
Insert an editorial: Pradeep to propose text for the next draft cycle covering the lack of need for reassembly mechanism.

#9 Type: ER TF: TF2 Clause: 7.2 Page: 40 Line: 1 Commenter: Pradeep Kondamuri / Ciena
Comment Status: Resolved Response Status: AIP Commenter Satisfaction: Satisfied Category: -

I think the value 'N' in table 7-3 is not the same as value 'N' used elsewhere in the document. If it is not, use a different alphabet to represent it
-
Change N to L in two locations in table 7-3 (make it italics)