IEEE P1904.2[™]/D0.0

- ² Draft Standard for Management
- **Channel for Customer-Premises**
- 4 Equipment Connected to Ethernet-
- **based Subscriber Access Networks**
- 6 Sponsor
- 7 Standards Development Board
- 8 of the
- 9 IEEE Communications Society
- 10 Approved <XX MONTH 20XX>
- 11 IEEE-SA Standards Board
- 12
- 13 Copyright © 2014 by the Institute of Electrical and Electronics Engineers, Inc.
- 14 Three Park Avenue
- 15 New York, New York 10016-5997, USA
- 16 All rights reserved.

17 This document is an unapproved draft of a proposed IEEE Standard. As such, this document is subject to change. USE AT YOUR OWN RISK! Because this is an unapproved draft, this document must not be 18 19 utilized for any conformance/compliance purposes. Permission is hereby granted for IEEE Standards 20 Committee participants to reproduce this document for purposes of international standardization 21 consideration. Prior to adoption of this document, in whole or in part, by another standards development 22 organization, permission must first be obtained from the IEEE Standards Activities Department 23 (stds.ipr@ieee.org). Other entities seeking permission to reproduce this document, in whole or in part, must 24 also obtain permission from the IEEE Standards Activities Department.

- 25 IEEE Standards Activities Department
- 26 445 Hoes Lane
- 27 Piscataway, NJ 08854, USA
- 28

- 1 Abstract: This standard TBD
- 2 Keywords: TBD
- 3

The Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue, New York, NY 10016-5997, USA Copyright © 20XX by the Institute of Electrical and Electronics Engineers, Inc. All rights reserved. Published <XX MONTH 20XX>. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-XXXX-XXXX-X STDXXXXX Print: ISBN 978-0-XXXX-XXXX-X STDPDXXXXX

IEEE prohibits discrimination, harassment and bullying. For more information, visit <u>http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html</u>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

8 Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other 9 damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly 10 resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

11 The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly 12 disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific

13 purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents

14 are supplied "AS IS."

15 The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, 16 market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint 17 expressed at the time a standard is approved and issued is subject to change brought about through developments in the 18 state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least 19 every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five 20 years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to 21 conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are 22 cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

28 Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to 29 specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate 30 action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is 31 important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, 32 IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant 33 response to interpretation requests except in those cases where the matter has previously received formal consideration. 34 A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual 35 shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be 36 relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an 37 individual presenting information on IEEE standards shall make it clear that his or her views should be considered the 38 personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why a revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretations should be addressed to:

- 44 Secretary, IEEE-SA Standards Board
- 45 445 Hoes Lane
- 46 Piscataway, NJ 08854
- 47 USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute
 of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center.
 To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood
 Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for

educational classroom use can also be obtained through the Copyright Clearance Center.

1 Introduction

2 This introduction is not part of IEEE P1904.2/D0.0

3 This standard TBD ...

4 Notice to users

5 Laws and regulations

6 Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with 7 the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory 8 requirements. Implementers of the standard are responsible for observing or referring to the applicable 9 regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not 10 in compliance with applicable laws, and these documents may not be construed as doing so.

11 Copyrights

12 This document is copyrighted by the IEEE. It is made available for a wide variety of both public and 13 private uses. These include both use, by reference, in laws and regulations, and use in private self-14 regulation, standardization, and the promotion of engineering practices and methods. By making this 15 document available for use and adoption by public authorities and private users, the IEEE does not waive 16 any rights in copyright to this document.

17 Updating of IEEE documents

18 Users of IEEE Standards documents should be aware that these documents may be superseded at any time 19 by the issuance of new editions or may be amended from time to time through the issuance of amendments, 20 corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the 21 document together with any amendments, corrigenda, or errata then in effect. In order to determine whether 22 a given document is the current edition and whether it has been amended through the issuance of 23 amendments, corrigenda, or errata, visit the IEEE-SA Website at http://standards.ieee.org/index.html or 24 contact the IEEE at the address listed previously. For more information about the IEEE Standards 25 Association or the IEEE standards development process, visit the IEEE-SA Website at 26 http://standards.ieee.org/index.html.

27 Errata

Errata, if any, for this and all other standards can be accessed at the following URL:
 http://standards.ieee.org/findstds/errata/index.html. Users are encouraged to check this URL for errata
 periodically.

31 Interpretations

32 Current interpretations can be accessed at the following URL: 33 <u>http://standards.ieee.org/findstds/interps/index.html</u>.

1 Patents

2 Attention is called to the possibility that implementation of this standard may require use of subject matter

3 covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to

the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant

5 has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the 6 IEEE-SA website http://standards.ieee.org/about/sasb/patcom/patents.html. Letters of Assurance may

7 indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without

8 compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of

9 any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or nondiscriminatory. Users of this standard are expressly advised that

15 determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely 16 their own responsibility. Further information may be obtained from the IEEE Standards Association.

17

1 Participants

At the time this draft standard was submitted to the IEEE-SA Standards Board for approval, the SIEPON
 Working Group had the following membership:

4		Gl	en Kramer, Working Group Chai	r	
5			hi Suzuki , Working Group Vice (
6	Zhou Zhen, Executive Secretary				
7	Marek Hajduczenia, Chief Editor				
8					
9	Lior Khermosh Se	•rv	ice Configuration and Provisionir	10 Ta	sk Force Chair
10					
11	Alan M. Brown, Service Configuration and Provisioning Task Force Editor				
12	Curtis Knittle, Performance Requirements and Service Quality Task Force Chair				
13			· · · · · · · · · · · · · · · · · · ·	•	
14	Jeff Stribling , Performance Requirements and Service Quality Task Force Editor				
15	Seiji Kozaki, Service Survivability Task Force Chair				
16	Jeff Stribling, Service Survivability Task Force Editor				
17		~		00 2	
18	James Chen, System/Device Management Task Force Chair			e Chair	
19			System/Device Management Task		
20		-,			
21	Toshihiko Kusa	ma	o, Conformance Test Procedures 1	ask l	Force Chair
22			formance Test Procedures Task Fo		
23			formance Test Procedures Task Fo		
24			nce Test Procedures Task Force E		
25					5
26					
27	The following individuals submitted	d t	echnical contributions or commer	nted of	on the draft standard at various
28	stages of the project development.				
29					
30					
31	Name		32		
33					
34	The following members of the <in< td=""><td></td><td></td><td>e vo</td><td>ted on this standard. Balloters</td></in<>			e vo	ted on this standard. Balloters
35	may have voted for approval, disapp	pro	oval, or abstention.		
36					
37	(to be supplied by IEEE)				
38	Balloter1 4	2		15	
39 40		2 3	Balloter4 Balloter5	45 46	
40		3 4	Balloter6	40	Balloter9
48	Banoters +	т	Danotero	т/	Danotery
49					
50	When the IEEE-SA Standards Boar	·d :	approved this standard on <xx m<="" td=""><td>ONT</td><td>H 20XX > it had the following</td></xx>	ONT	H 20XX > it had the following
51	membership:	u	approved this standard on strend	0111	11 20/11/2, it had the following
	inemeersing.				
52	(to be supplied by IEEE)				
53	(to be supplied by ILLL)		<name>, Chair</name>		
54			<name>, Vice Chair</name>		
55			<name>, Past President</name>		
56			<name>, <i>Secretary</i></name>		
57					
58	SBMember1 6	1	SBMember4	64	SBMember7
59	SBMember2 6	2	SBMember5	65	SBMember8
60	SBMember3 6	3	SBMember6	66	SBMember9

1	*Member Emeritus
2 3	
4	Also included are the following nonvoting IEEE-SA Standards Board liaisons:
5	<name>, NRC Representative</name>
6	<name>, DOE Representative</name>
7	<name>, NIST Representative</name>
8	
9	<name></name>
10	IEEE Standards Program Manager, Document Development
11	
12	<name></name>
13	IEEE Standards Program Manager, Technical Program Development
14	
17	

15

1 Contents

2	1	OVERVIEW	
3	1.1	Scope	11
4	1.2	Purpose	11
5	1.3	Coverage	11
6	1.4	Overview of clauses	
7	2	NORMATIVE REFERENCES	12
8	3	DEFINITIONS, ACRONYMS, AND ABBREVIATIONS	13
9	3.1	Definitions	13
10	3.2	Acronyms and abbreviations	
11	3.3	Special Terms	13
12	3.4	Notation for state diagrams	
13	3	.4.1 General conventions	
14		3.4.1.1 Representation of states	14
15		3.4.1.2 Transitions	14
16	3	.4.2 State diagrams and accompanying text	15
17	3	.4.3 Actions inside state blocks	15
18	3	.4.4 State diagram variables	15
19	3	.4.5 Operators	
20	3	.4.6 Timers	16
21	3	.4.7 Hexadecimal notation	16
22	3	.4.8 Binary notation	16
23	3.5		
24	-	.5.1 Abbreviations and special symbols	
25	_	.5.2 Instructions for completing the PICS proforma	
26	-	.5.3 Additional information	
27	-	.5.4 Exception information	
28	3	.5.5 Conditional items	
29	4	UNIVERSAL MANAGEMENT TUNNEL (UMT) ARCHITECTURE	
30	4.1	UMT Architecture	20
31	4.2	UMT Interfaces	20
32	4.3	UMT Device Functions	20
33	5	UMT DISCOVERY PROTOCOL (UMDP)	21

1	5.1	Definition of UMDP Data Unit	21
2	5.2	UMDP Operation	21
3	5.3		21
4	6	EXAMPLES: HEADER 1	23
5	6.1	Examples: Header 2	23
6	6	.1.1 Examples: Header 3	23
7		6.1.1.1 Examples: Header 4	23
8		6.1.1.1.1 Examples: Header 5	23

- 1 1 Overview
- 2 **1.1 Scope**
- 3 This standard TBD ...
- 4 **1.2 Purpose**
- 5 The purpose of this standard is to TBD ...
- 6 1.3 Coverage
- 7 This specification provides TBD ...

8 **1.4 Overview of clauses**

- 9 This subclause provides an overview of the scope of individual clauses included in this specification, 10 namely:
- 11 TBD ...

1 2 Normative references

2 The following referenced documents are indispensable for the application of this document (i.e., they must

3 be understood and used, so each referenced document is cited in text and its relationship to this document is

4 explained). For dated references, only the edition cited applies. For undated references, the latest edition of

5 the referenced document (including any amendments or corrigenda) applies.

6

3 Definitions, acronyms, and abbreviations

2 3.1 Definitions

- For the purposes of this document, the following terms and definitions apply. The IEEE Standards Dictionary Online should be consulted for terms not defined in this clause.¹
- 5 TBD

6 **3.2** Acronyms and abbreviations

- 7 TBD
- 8 3.3 Special Terms
- 9 **Term**: Definition

10 **3.4** Notation for state diagrams

11 All the state diagrams used in this standard meet the set of requirements included in the following 12 subclauses.


13 **3.4.1 General conventions**

14 The operation of any protocol defined in this standard can be described by subdividing the protocol into a

- 15 number of interrelated functions. The operation of the functions can be described by state diagrams. Each
- 16 diagram represents the domain of a function and consists of a group of connected, mutually exclusive states.

17 Only one state of a function is active at any given time (see Figure 3-1).

¹ IEEE Standards Dictionary Online subscription is available at <u>http://www.ieee.org/portal/innovate/products/standard/standards_dictionary.html</u>.



1 2

Figure 3-1—State diagram notation example

3 3.4.1.1 Representation of states

Each state that the function can assume is represented by a rectangle. These are divided into two parts by a
horizontal line. In the upper part the state is identified by a name in capital letters. The lower part contains
the body of the given state, containing description of the actions taken in this state, as defined in 3.4.3.

7 3.4.1.2 Transitions

8 All permissible transitions between the states of a function are represented graphically by arrows between 9 them. A transition that is global in nature (for example, an exit condition from all states to the IDLE or 10 RESET state) is indicated by an open arrow (an arrow with no source block). Global transitions are 11 evaluated continuously whenever any state is evaluating its exit conditions. When the condition for a global 12 transition becomes true, it supersedes all other transitions, including Unconditional Transition (UCT), 13 returning control to the block pointed to by the open arrow.

14 Labels on transitions are qualifiers that are required to be fulfilled before the transition is taken. The label 15 UCT designates an unconditional transition. Qualifiers described by short phrases are enclosed in 16 parentheses.

- 17 The following terms are valid transition qualifiers:
- 18 Boolean expressions
- 19 An event such as the expiration of a timer: timer_done
- 20 An event such as the reception of a message: MAC_DATA.indication

1 — An unconditional transition: UCT

2 — A branch taken when other exit conditions are not satisfied: ELSE

3 State transitions occur instantaneously. No transition in the state diagram can cross another transition. 4 When possible, any two transitions with different logical conditions are not joined together into a single

5 transition line.

6 **3.4.2** State diagrams and accompanying text

7 State diagrams take precedence over text.

8 3.4.3 Actions inside state blocks

9 The actions inside a state block execute instantaneously. Actions inside state blocks are atomic (i.e., 10 uninterruptible).

After performing all the actions listed in a state block one time, the state diagram then continuously evaluates exit conditions for the given state block until one is satisfied, at which point control passes through a transition arrow to the next block. While the state awaits fulfillment of one of its exit conditions, the actions inside do not implicitly repeat.

- 15 Valid state actions may include generation of *indication* and *request* primitives.
- 16 No actions are taken outside of any blocks of the state diagram.

17 3.4.4 State diagram variables

18 Once set, variables retain their values as long as succeeding blocks contain no references to them.

Setting the parameter of a formal interface message assures that, on the next transmission of that message,the last parameter value set is transmitted.

Testing the parameter of a formal interface message tests the value of that message parameter that was received on the last transmission of said message. Message parameters may be assigned default values that persist until the first reception of the relevant message.

24 **3.4.5** Operators

- 25 The state diagram operators are shown in Table 3-1.
- 26

Table 3-1—State diagram operators

Character Meaning	
AND	Boolean AND
OR	Boolean OR
XOR	Boolean XOR
!	Boolean NOT
<	Less than
>	More than
\leq	Less than or equal to
2	More than or equal to
==	Equals (a test of equality)
!=	Not equals
() Indicates precedence	

Character	Meaning		
=	Assignment operator		
	Concatenation operation that combines several sub-fields or parameters into a single aggregated field or parameter		
else	No other state condition is satisfied		
true	Designation of a Boolean value of TRUE		
false Designation of a Boolean value of FALSE			

1 3.4.6 Timers

2 Some of the state diagrams use timers for various purposes, e.g., measurement of time, and confirmation of 3 activity. All timers operate in the same fashion.

4 A timer is reset and starts counting upon entering a state where [start x timer, x timer value] is asserted.

A timer is reset and starts counting upon emering a state where [start x_timer, x_timer_value] is asserted.
 Time "x" after the timer has been started, "x_timer_done" is asserted and remains asserted until the timer is reset. At all other times, "x_timer_not_done" is asserted.

When entering a state where [start x_timer, x_timer_value] is asserted, the timer is reset and restarted even
if the entered state is the same as the exited state.

9 Any timer can be stopped at any time upon entering a state where [stop x_timer] is asserted, which aborts 10 the operation of the "x_timer" asserting "x_timer_not_done" indication until the timer is restarted again.

11 **3.4.7 Hexadecimal notation**

Numerical values designated by the 0x prefix indicate a hexadecimal notation of the corresponding number, with the least significant bit shown on the right. For example: 0x0F represents an 8-bit hexadecimal value of the decimal number 15; 0x00-00-00 represents a 32-bit hexadecimal value of the decimal number 0; 0x11-AB-11-AB represents a 32-bit hexadecimal value of the decimal number 296423851.

16 **3.4.8 Binary notation**

Numerical values designated by the 0b prefix indicate a binary notation of the corresponding number, with
the least significant bit shown on the right. For example: 0b0001000 represents an 8-bit binary value of the
decimal number 8.

20 3.5 Notation for PICS

The supplier of a device implementation that is claimed to conform to this standard is required to complete a protocol implementation conformance statement (PICS) proforma.

A completed PICS proforma is the PICS for the implementation in question. The PICS is a statement of which capabilities and options of this standard have been implemented. The PICS can be used for a variety of purposes by various parties, including the following:

- a) As a checklist by the protocol implementer, to reduce the risk of failure to conform to the standard
 through oversight;
- b) As a detailed indication of the capabilities of the implementation, stated relative to the common
 b) basis for understanding provided by the standard PICS proforma, by the supplier and acquirer, or
 potential acquirer, of the implementation;
- c) As a basis for initially checking the possibility of interworking with another implementation by
 the user, or potential user, of the implementation (note that, while interworking can never be
 guaranteed, failure to interwork can often be predicted from incompatible PICS);

- 1 d) As the basis for selecting appropriate tests against which to assess the claim for conformance of 2 the implementation, by a protocol tester.
- Each PICS entry is uniquely identified by an item number, with the following form: [Package][Device] [Feature][Number], where:
- 5 [Package] is the designation of the given Package,
- 6 [Device] identifies whether the given PICS item describes the ONU (U) or OLT (T) requirements,
- 7 [Feature] is the identification of individual features, and finally,

8 — [Number] is a number allocated to each subsequent PICS entry. This item may have one of two 9 possible formats: a decimal number or a decimal number followed by a lower-case letter. The first 10 format is used to designate PICS with functionally distinct requirements. The latter format is used 11 to designate PICS with functionally similar requirements.

For example, CU-LPTK3a represents a PICS entry for an ONU compliant with Package C for the "optical link protection, trunk type" feature, item 3, subitem a.

14 **3.5.1** Abbreviations and special symbols

15 The following symbols are used in the PICS proforma:

The following symb	ors are used in the Fres proforma.
М	mandatory field/function
!	negation
0	optional field/function
0. <n></n>	optional field/function, but at least one of the group of options labeled by the same
	numeral <n> is required</n>
O/ <n></n>	optional field/function, but one and only one of the group of options labeled by the
	same numeral <n> is required</n>
Х	prohibited field/function
<item>:</item>	simple-predicate condition, dependent on the support marked for <item></item>
<item1>*<item2>:</item2></item1>	AND-predicate condition, the requirement needs to be met if both optional items are
	implemented

16 **3.5.2** Instructions for completing the PICS proforma

17 The first part of the PICS proforma, Implementation Identification and Protocol Summary, is to be 18 completed as indicated with the information necessary to identify fully both the supplier and the 19 implementation.

- The main part of the PICS proforma is a fixed-format questionnaire divided into subclauses, each containing a group of items. Answers to the questionnaire items are to be provided in the right-most column, either by simply marking an answer to indicate a restricted choice (usually Yes, No, or Not Applicable), or by entering a value or a set or range of values. (Note that there are some items where two or more choices from a set of possible answers can apply; all relevant choices are to be marked.)
- Each item is identified by an item reference in the first column; the second column contains the question to be answered; the third column contains the reference or references to the material that specifies the item in the main body of the standard; the fourth column contains values and/or comments pertaining to the question to be answered. The remaining columns record the status of the items—whether the support is mandatory, optional or conditional—and provide the space for the answers.
- The supplier may also provide, or be required to provide, further information, categorized as either Additional Information or Exception Information. When present, each kind of further information is to be

1 provided in a further subclause of items labeled A<i> or X<i>, respectively, for cross-referencing purposes,

2 where <i> is any unambiguous identification for the item (e.g., simply a numeral); there are no other

3 restrictions on its format or presentation.

4 A completed PICS proforma, including any Additional Information and Exception Information, is the 5 protocol implementation conformance statement for the implementation in question.

Note that where an implementation is capable of being configured in more than one way, according to the items listed under Major Capabilities/Options, single PICS may be able to describe all such configurations. However, the supplier has the choice of providing more than one PICS, each covering some subset of the implementation's configuration capabilities, if that would make presentation of the information easier and clearer.

11 **3.5.3 Additional information**

12 Items of Additional Information allow a supplier to provide further information intended to assist the 13 interpretation of the PICS. It is not intended or expected that a large quantity be supplied, and the PICS can 14 be considered complete without any such information. Examples might be an outline of the ways in which 15 a (single) implementation can be set up to operate in a variety of environments and configurations; or a 16 brief rationale, based perhaps upon specific application needs, for the exclusion of features that, although 17 optional, are nonetheless commonly present in implementations.

18 References to items of Additional Information may be entered next to any answer in the questionnaire, and 19 may be included in items of Exception Information.

20 **3.5.4 Exception information**

It may occasionally happen that a supplier wishes to answer an item with mandatory or prohibited status (after any conditions have been applied) in a way that conflicts with the indicated requirement. No preprinted answer is found in the Support column for this; instead, the supplier is required to write into the Support column an X<i> reference to an item of Exception Information, and to provide the appropriate rationale in the Exception item itself.

An implementation for which an Exception item is required in this way does not conform to this standard. Note that a possible reason for the situation described above is that a defect in the standard has been reported, a correction for which is expected to change the requirement not met by the implementation.

29 **3.5.5 Conditional items**

The PICS proforma may contain conditional items. These are items for which both the applicability of the item itself, and its status if it does apply—mandatory, optional, or prohibited—are dependent upon whether or not certain other items are supported.

Individual conditional items are indicated by a conditional symbol of the form "<item>:<s>" in the Status column, where "<item>" is an item reference that appears in the first column of the table for some other item, and "<s>" is a status symbol, M (Mandatory), O (Optional), or X (Not Applicable).

- 36 If the item referred to by the conditional symbol is marked as supported, then:
- a) the conditional item is applicable,
- b) its status is given by "<s>", and
- 39 c) the support column is to be completed in the usual way.

1 Each item whose reference is used in a conditional symbol is indicated by an asterisk in the Item column.

1 4 Universal Management Tunnel (UMT) Architecture

Editorial Note: this Clause will describe te UMT architecture, showing a single UMT domain
 interconnecting multiple L2 domains with UMT switches, and showing UMT instance between two UMT
 end-points. Description of the individual device functions follows (tentative names are used)

- 5 4.1 UMT Architecture
- 6 4.2 UMT Interfaces
- 7 4.3 UMT Device Functions
- 8 4.4 Examples of UMT Use Cases

- 1 5 UMT Discovery Protocol (UMTDP)
- 2 5.1 Definition of UMTDP Data Unit
- 3 5.2 UMTDP Operation
- 4 5.3 State diagrams and variable definitions
- 5 5.3.1 Variables
- 6 **5.3.2 Times**
- 7 **5.3.3 Functions**
- 8 5.3.4 Primitives
- 9 5.3.5 State diagrams

1 6 PICS

1 7 Examples: Header 1


2 7.1 Examples: Header 2

- 3 Example of a paragraph of text.
- 4 Example of a table is shown below.

5

Column1	Column2	Column3
Value1	Value2	Value3
Value1	Value2	Value3
Value1	Value2	Value3

Table 7-1—Table Template





b) OLT and ONU without service-specific functions



Figure 7-1—Example of a figure

- 8 Example of a bulleted list:
- 9 Line 1; and
- 10 Line 2.
- 11 7.1.1 Examples: Header 3
- 12 7.1.1.1 Examples: Header 4
- 13 **7.1.1.1.1 Examples: Header 5**