



IEEE 1904.4 25G/50G SIEPON Task Force

Opening report

Curtis Knittle, c.knittle@cablelabs.com

Activities Since Last Meeting

- Two consensus-building calls:
 - May 18, 2021
 - May 25, 2021

Review of Action Items



#	Item	Category	Description of required changes	Big ticket?	Status	Assigned to
1	Develop and approve project timeline	Project management			Completed	
2	Create draft D0.1 from 1904.1-2017 package A.	Project management		YES	Completed	
3	ULID provisioning	LLID provisioning		YES	Assigned	Glen Kramer
4	GLID provisioning	LLID provisioning		YES	Assigned	Glen Kramer
5	Multicast ULID provisioning	LLID provisioning		YES	Assigned	Glen Kramer
6	Report format and queue length	Granting/Reporting	New behavior: gratuitous reports, dynamic reporting priorities	YES	Assigned	Glen Kramer
7	Multicast operation	New 802.3ca behavior	Based on multicast ULID	YES	Unassigned	
8	Transceiver status monitoring	New 802.3ca behavior	Similar, but should be wavelength-specific	NO	Unassigned	
9	Port selective loopback	New 802.3ca behavior	Maybe different to enable inter-channel loopback	NO	Unassigned	
10	Optical link protection	New 802.3ca behavior	New behavior in multi-channel PON. See slide 22 in tf4_2102_kramer_1.pdf	YES	Unassigned	
11	Data encryption	New 802.3ca behavior	1) Zero-overhead encryption as in SIEPON, pkg.A, but envelope-based instead of frame-based. 2) Add support for 256-bit keys. 3) Specify encryption using one key per ONU, not per LLID	YES	Unassigned	
12	Power saving	New 802.3ca behavior	Consider additional multi-channel mode	YES	Unassigned	
13	Device and capability discovery	New 802.3ca behavior	New capabilities (fragmentation, multiple channels, etc.)		Unassigned	
14	Low latency x-haul (AKA cooperative transport interface, mobile/PON coordination, Cooperative DBA)	New feature		YES	Assigned	Curtis Knittle
15	LLID and mLLID object types	Management attributes	ONUs are unaware if LLID is unicast or multicast. Combine LLID and mLLID into one ObjectType. See tf4_2102_kramer_1.pdf		Completed	Glen Kramer
16	aLlidReportThresholds	Management attributes	Attribute is not applicable to 25G or 50G-EPON. Remove the attribute. See tf4_2102_kramer_1.pdf.		Completed	
17	aOnuld	Management attributes	Per 802.3ca, the ONU has only one MAC address.		Completed	Glen Kramer
18	aOnuLlidCount	Management attributes	LLID is not equivalent to L-ONU anymore.		Assigned	JC Marion

Review of Action Items




19	aOnuPonPortCount	Management attributes	Need to clarify if these are physical or logical PON ports		Assigned	Glen Kramer
20	aLlidForwardState	Management attributes	LLIDs don't combine user traffic, MPCP, and OAM anymore.		Assigned	JC Marion
21	aLlidOamFrameRate	Management attributes	OAM rate is per ONU now.		Assigned	JC Marion
22	aOnuUniPortType	Management attributes	This attribute a superset of aOnuUniPortCount (0x00-09). Do we keep both?		Assigned	Glen Kramer
23	aLineRateMode	Management attributes	Need to add new downstream and upstream rates.			
24	aOnuMulticastLlid	Management attributes	ONU doesn't know whether LLID is multicast or unicast. Just needs to report all provisioned LLID values as (Value, Type, Directionality)		Assigned	Glen Kramer
25	aOnuPortConfig	Management attributes	Currently, aONUPortCount tells ONU how many UNI ports to enable and how many LLIDs to register. In 802.3ca, LLIDs are directly provisioned by NMS, so no LLID count is needed. The setting and querying of UNI port count can also be done using basic attribute aPhyAdminState (0x07/0x00-25) and basic action acPhyAdminControl (0x09/0x00-05). Do we keep both methods? Should be resolved together with #3 ULID Provisioning		Assigned	Glen Kramer
26	aQueueConfig	Management attributes	Queues need to be associated with either LLID or UNI. Need to describe what happens to queues when the LLID is deallocated or UNI is disabled.		Assigned	Glen Kramer
27	Counter of jumbo frames	Management attributes	New attribute(s) are needed		Assigned	Steve Burroughs
28	Counters related to fragments	Management attributes	What to count and how? Proposal is needed		Assigned	Steve Burroughs
29	Counters related to envelopes	Management attributes	New attribute(s) are needed		Assigned	Steve Burroughs
30	Counters related to separate channels in 50G-EPON	Management attributes	Discuss if we just need new attributes or also object types to use channels or context objects for various attributes		Assigned	Steve Burroughs
31	Redefine alarm thresholds	Management attributes	Instead of "high" and "low" thresholds, use "set" and "clear" thresholds and allow the "set" threshold be greater or less than the "clear" threshold. See tf4_2102_kramer_1.pdf		Assigned	Steve Burroughs
32	aFecMode	Management attributes	Change is needed to indicate new data rates. Default should be set to enabled. Also, FEC should be per ONU, not per LLID.			

Review of Action Items



32	aFecMode	Management attributes	Change is needed to indicate new data rates. Default should be set to enabled. Also, FEC should be per ONU, not per LLID.		Unassigned	
33	aOnuPwrSavingCap	Management attributes	Change may be needed to add new power saving modes in a multi-channel 50G-EPON. Should be resolved together with #12 Power Saving		Unassigned	
34	aEeeStatus	Management attributes	What happens when aEeeStatus is set to enabled, but the UNI does not support the EEE function? Need to support querying the ONU capability separately in addition to enabling/disabling the feature.		Unassigned	
35	aPoeStatus	Management attributes	What happens when aPoeStatus is set to enabled, but the UNI does not support the PoE function? Need to support querying the ONU capability separately in addition to enabling/disabling the feature.		Unassigned	
36	aMediaType	Management attributes	Not clear what specific difference this attribute makes at the ONU. Can it be set in conflict with aPhyType (0x07/0x00-20)? The attribute purpose and function need to be clarified.		Unassigned	
37	Allocate new branch codes different from 1904.1 package A.	Management attributes			Completed	
38	Alternative term to replace "SIEPON"	Editorial	Current TF draft uses "SIEPON" in many places. To avoid confusion we should agree on a new term to distinguish the 25G/50G version of SIEPON from the original SIEPON		Unassigned	
39	Support for TR-200 for 25G-EPON needs to be confirmed	Alignment			Assigned	Kevin Noll

Timeline



Plan for Meeting



- Comment resolution
- Other contributions – if any

- https://grouper.ieee.org/groups/1904/private/4/drafts/D0_3/draft_1904_4_D0_3_clean.pdf



Thank You